



STAND ALONE

REMOTE CONSOLE

POD

Smart



Code: SA.S.6.3

6.490,00 €

Name: SMART electric outboard - 3.000 Watt - 24V - Touch display
PMAC electric outboard with embedded electronic power board.
Power 3.000W . Voltage 24V. Touch display with SMART control panel. Bluetooth embedded. Complete with propeller and side mount single lever throttle with neutral safety position.



Code: SA.S.8.4

6.690,00 €

Name: SMART electric outboard - 4.300 Watt - 48V - Touch display
PMAC electric outboard with embedded electronic power board .
Power 4.300W . Voltage 48V. Touch display with SMART control panel. Bluetooth embedded. Complete with propeller and side mount single lever throttle with neutral safety position.



Code: SA.S.12.6

7.290,00 €

Name: SMART electric outboard - 6.000 Watt - 48V - Touch display
PMAC electric outboard with embedded electronic power board.
Power 6.000W . Voltage 48V. Touch display with SMART control panel. Bluetooth embedded. PMAC electric outboard with embedded electronic power board. Power 3.000W . Voltage 24V. Touch display with SMART control panel. Bluetooth embedded. Complete with propeller and side mount single lever throttle with neutral safety position.



Code: SA.S.16.8

7.990,00 €

Name: SMART electric outboard - 8.000 Watt - 48V - Touch display
PMAC electric outboard with embedded electronic power board.
Power 8.000W . Voltage 48V. Touch display with SMART control panel. Bluetooth embedded. PMAC electric outboard with embedded electronic power board. Power 3.000W . Voltage 24V. Touch display with SMART control panel. Bluetooth embedded. Complete with propeller and side mount single lever throttle with neutral safety position.



Code: SA.S.20.10

8.390,00 €

Name: SMART electric outboard -10.000 Watt - 48V - Touch display
PMAC electric outboard with embedded electronic power board.
Power 10.000W . Voltage 48V. Touch display with SMART control panel. Bluetooth embedded. PMAC electric outboard with embedded electronic power board. Power 3.000W . Voltage 24V. Touch display with SMART control panel. Bluetooth embedded. Complete with propeller and side mount single lever throttle with neutral safety position.

Easy



Code: SA.E.20.10

7.590,00 €

Name: EASY Electric outboard - 10.000 Watt - 48V - Led dashboard
PMAC electric outboard with embedded electronic power board .
Complete with propeller, bracket and control board. Power 10.000W . Voltage 48V. LED dashboard with EASY control panel. Bluetooth embedded. Complete with propeller and side mount single lever throttle with neutral safety position.



Code: SA.E.6.3

5.890,00 €

Name: EASY electric outboard - 3.000 Watt - 24V - Led dashboard
PMAC electric outboard with embedded electronic power board .
Complete with propeller, bracket and control board. Power 3.000W . Voltage 24V. Led dashboard with EASY control panel. Bluetooth embedded. Complete with propeller and side mount single lever throttle with neutral safety position.



Code: SA.E.8.4

6.190,00 €

Name: EASY electric outboard - 4.300 Watt - 48V - Led dashboard
PMAC electric outboard with embedded electronic power board .
Complete with propeller, bracket and control board. Power 4.300W . Voltage 48V. LED dashboard with EASY control panel. Bluetooth embedded. Complete with propeller and side mount single lever throttle with neutral safety position.



Code: SA.E12.6

6.590,00 €

Name: EASY electric outboard - 6.000 Watt - 48V - Led dashboard
PMAC electric outboard with embeeded electronic power board .
Complete with propeller, bracket and control board. Power 6.000W .
Voltage 48V. LED dashboard with EASY control panel. Bluetooth
embedded. Complete with propeller and side mount single lever
throttle with neutral safety position.



Code: SA.E.16.8

7.290,00 €

Name: EASY electric outboard - 8000 Watt - 48V - Led dashboard
PMAC electric outboard with embeeded electronic power board .
Complete with propeller, bracket and control board. Power 8000W .
Voltage 48V. LED dashboard with EASY control panel. Bluetooth
embedded. Complete with propeller and side mount single lever
throttle with neutral safety position.

Smart



Code: RC.S.20.10

7.990,00 €

Name: Remote console Smart electric outboard - 10.000 Watt - 48V
PMAC electric motor outboard with embeeded electronic power
board . Power 10.000W . Voltage 48V. Remote Smart touch display
with Bluetooth 4.0. GPS/GSM. Plug and Play device ready. Complete
with propeller and side mount single lever throttle with neutral safety
position.



Code: RC.S.6.3

6.290,00 €

Name: Remote console Smart electric outboard - 3.000 Watt - 24V
PMAC electric motor outboard with embeeded electronic power
board . Power 3.000W . Voltage 24V. Remote Smart touch display
with Bluetooth 4.0. GPS/GSM. Plug and Play device ready. Complete
with propeller and side mount single lever throttle with neutral safety
position.



Code: RC.S.8.4

6.490,00 €

Name: Remote console Smart electric outboard - 4.300 Watt - 48V
PMAC electric motor outboard with embeeded electronic power
board . Power 3.000W . Voltage 24V. Remote Smart touch display
with Bluetooth 4.0. GPS/GSM. Plug and Play device ready. Complete
with propeller and side mount single lever throttle with neutral safety
position.



Code: RC.S.12.6

7.090,00 €

Name: Remote console Smart electric outboard - 6.000Watt - 48V
PMAC electric motor outboard with embeeded electronic power
board . Power 6.000W . Voltage 48V. Remote Smart touch display
with Bluetooth 4.0. GPS/GSM. Plug and Play device ready. Complete
with propeller and side mount single lever throttle with neutral safety
position.



Code: RC.S.16.8

7.690,00 €

Name: Remote console Smart electric outboard - 8.000 Watt - 48V PMAC electric motor outboard with embeeded electronic power board . Power 8.000W . Voltage 48V. Remote Smart touch display with Bluetooth 4.0. GPS/GSM. Plug and Play device ready. Complete with propeller and side mount single lever throttle with neutral safety position.

BATTERY

Easy



Code: RC.E.20.10

7.290,00 €

Name: Remote console Easy electric outboard - 10.000 Watt - 48V PMAC electric outboard with embeeded electronic power board . Complete with propeller, bracket and control board. Power 10.000W . Voltage 48V. LED dashboard with EASY control panel. Bluetooth embedded. Complete with propeller and side mount single lever throttle with neutral safety position.



Code: RC.E.6.3

5.690,00 €

Name: Remote console Easy electric outboard - 3.000 Watt - 24V PMAC electric outboard with embeeded electronic power board . Complete with propeller, bracket and control board. Power 3.000W . Voltage 24V. LED dashboard with EASY control panel. Bluetooth embedded. Complete with propeller and side mount single lever throttle with neutral safety position.



Code: RC.E.8.4

5.790,00 €

Name: Remote console Easy electric outboard - 4.300 Watt - 48V PMAC electric outboard with embeeded electronic power board . Complete with propeller, bracket and control board. Power 4.300W . Voltage 48V. LED dashboard with EASY control panel. Bluetooth embedded. Complete with propeller and side mount single lever throttle with neutral safety position.



Code: RC.E.12.6

6.390,00 €

Name: Remote console Easy electric outboard - 6.000 W - 48V PMAC electric outboard with embeeded electronic power board . Complete with propeller, bracket and control board. Power 6.000W . Voltage 48V. LED dashboard with EASY control panel. Bluetooth embedded. Complete with propeller and side mount single lever throttle with neutral safety position.



Code: RC.E.16.8

6.990,00 €

Name: Remote console Easy electric outboard - 8.000 Watt - 48V PMAC electric outboard with embedded electronic power board . Complete with propeller, bracket and control board. Power 8.000W . Voltage 48V. LED dashboard with EASY control panel. Bluetooth embedded. Complete with propeller and side mount single lever throttle with neutral safety position.

Easy + Tiller



Code: SA.ET.20.10

8.490,00 €

Name: EASY Tiller electric outboard - 10.000 Watt - 48V - Led dashboard PMAC electric outboard with embedded electronic power board . Complete with propeller, bracket and control board. Power 10.000W . Voltage 48V. Tiller. LED dashboard with EASY control panel. Bluetooth embedded.



Code: SA.ET.6.3

6.590,00 €


Name: EASY Tiller electric outboard - 3.000 Watt - 24V - Led dashboard PMAC electric outboard with embedded electronic power board . Complete with propeller, bracket and control board. Power 3.000W . Voltage 24V. Tiller. LED dashboard with EASY control panel. Bluetooth embedded.



Code: SA.ET.8.4

6.790,00 €

Name: EASY Tiller electric outboard - 4.300 Watt - 48V - Led dashboard PMAC electric outboard with embedded electronic power board . Complete with propeller, bracket and control board. Power 4.300W . Voltage 48V. Tiller. LED dashboard with EASY control panel. Bluetooth embedded.



Code: SA.ET.12.6

7.490,00 €

Name: EASY Tiller electric outboard - 6.000 Watt - 48V - Led dashboard PMAC electric outboard with embedded electronic power board . Complete with propeller, bracket and control board. Power 6.000W . Voltage 48V. Tiller. LED dashboard with EASY control panel. Bluetooth embedded.



Code: SA.ET.16.8

8.190,00 €

Name: EASY Tiller electric outboard - 8.000Watt - 48V - Led dashboard PMAC electric outboard with embedded electronic power board . Complete with propeller, bracket and control board. Power 8.000W . Voltage 48V. Tiller. LED dashboard with EASY control panel. Bluetooth embedded.

EASY Pod



Code: POD.E.20.10

4.990,00 €

Name: Easy Pod 10.000 Watt -48V

PMAC electric motor pod with embedded electronic power board .
Power 10.000W . Voltage 48V. Easy Remote led interface with
Bluetooth 4.0. Complete with propeller and side mount single lever
throttle with neutral safety position.



Code: POD.E.6.3

3.990,00 €

Name: Easy Pod 3.000 Watt -24V

PMAC electric motor pod with embedded electronic power board .
Power 3.000W . Voltage 24V. Easy Remote led interface with
Bluetooth 4.0. Complete with propeller and side mount single lever
throttle with neutral safety position.



Code: POD.E.8.4

4.190,00 €

Name: Easy Pod 4.300 Watt -48V

PMAC electric motor pod with embedded electronic power board .
Power 4.300W . Voltage 48V . Easy Remote led interface with
Bluetooth 4.0. Complete with propeller and side mount single lever
throttle with neutral safety position.



Code: POD.E.12.6

4.490,00 €

Name: Easy Pod 6.000 Watt -48V

PMAC electric motor pod with embedded electronic power board .
Power 6.000W . Voltage 48V. Easy Remote led interface with
Bluetooth 4.0. Complete with propeller and side mount single lever
throttle with neutral safety position.



Code: POD.E.16.8

4.790,00 €

Name: Easy Pod 8.000 Watt -48V

PMAC electric motor pod with embedded electronic power board .
Power 8.000W . Voltage 48V. Easy Remote led interface with
Bluetooth 4.0. Complete with propeller and side mount single lever
throttle with neutral safety position.

SMART Pod



Code: POD.S.20.10

5.990,00 €

Name: Smart Pod 10.000 Watt -48V

PMAC electric motor pod with embedded electronic power board .
Power 10.000W . Voltage 48V. Remote Smart touch display with
Bluetooth 4.0. GPS/GSM. Plug and Play device ready. Complete with
propeller and side mount single lever throttle with neutral safety
position.



Code: POD.S.6.3

4.490,00 €

Name: Smart Pod 3.000 Watt -24V

PMAC electric motor pod with embedded electronic power board .
Power 3.000W . Voltage 24V. Remote Smart touch display with
Bluetooth 4.0. GPS/GSM. Plug and Play device ready. Complete with
propeller and side mount single lever throttle with neutral safety
position.



Code: POD.S.8.4

4.690,00 €

Name: Smart Pod 4.300 Watt -48V

PMAC electric motor pod with embedded electronic power board .
Power 4.300W . Voltage 48V. Remote Smart touch display with
Bluetooth 4.0. GPS/GSM. Plug and Play device ready. Complete with
propeller and side mount single lever throttle with neutral safety
position.



Code: POD.S.12.6

5.090,00 €

Name: Smart Pod 6.000 Watt -48V

PMAC electric motor pod with embedded electronic power board .
Power 6.000W . Voltage 48V. Remote Smart touch display with
Bluetooth 4.0. GPS/GSM. Plug and Play device ready. Complete with
propeller and side mount single lever throttle with neutral safety
position.



Code: POD.S.16.8

5.490,00 €

Name: Smart Pod 8.000 Watt -48V

PMAC electric motor pod with embedded electronic power board .
Power 8.000W . Voltage 48V. Remote Smart touch display with
Bluetooth 4.0. GPS/GSM. Plug and Play device ready. Complete with
propeller and side mount single lever throttle with neutral safety
position.

ACCELERATOR LEVERS



Code: OPT.ACC.01

670,00 €

Name: Side Throttle lever

Throttle with side controls



Code: OPT.ACC.03

455,00 €

Name: Throttle lever

Throttle lever side mount



Code: OPT.ACC.00
Name: Throttle lever
Trottle accelerator lever

490,00 €

24V - up to 300A



Code: B2500.24.300
Name: Lithium battery 2.500 Wh - 24V - Max discharge current 300A
Lithium battery . Capacity 2.500 Wh. Voltage 24V , nominal current 104Ah. Max discharge current 300 A. Sony VTC6 cell technology.
Plug & Play case available. Dynamic Charging ready. Plug and play power connectors. IP 67. Size 260*165*340mm Weight 19 kg.

3.990,00 €

PROPELLERS



Code: P.P.HS
Name: High speed propeller
Bronze high speed propeller for planning boats

699,00 €



Code: P.D.LS
Name: Low speed propeller
Bronze low speed propeller for displacement boats.

699,00 €



Code: P.SD.MS
Name: Medium speed propeller
Bronze medium speed propeller for semi-displacement boats.

699,00 €

NAKED Pod



Code: POD.N.20.10
Name: Electric motor 10.000 Watt -48V
PMAC electric motor pod with embeeded electronic power board .
Power 10.000W . Voltage 48V . Complete with propeller and side mount single lever throttle with neutral safety position.

4.890,00 €



Code: POD.N.6.3

3.590,00 €

Name: Electric motor 3.000 Watt -24V

PMAC electric motor pod with embedded electronic power board .
Power 3.000W . Voltage 24V . Complete with propeller and side
mount single lever throttle with neutral safety position.



Code: POD.N.8.4

3.790,00 €

Name: Electric motor 4.300 Watt -48V

PMAC electric motor pod with embedded electronic power board .
Power 4.300W . Voltage 48V .Complete with propeller and side
mount single lever throttle with neutral safety position.



Code: POD.N.16.8

4.490,00 €

Name: Electric motor 8.000 Watt -48V

PMAC electric motor pod with embedded electronic power board .
Power 8.000W . Voltage 48V . Complete with propeller and side
mount single lever throttle with neutral safety position.



Code: POD.N.12.6

4.290,00 €

Name: Pod motor 6.000 Watt -48V

PMAC electric motor pod with embedded electronic power board .
Power 6.000W . Voltage 48V . Complete with propeller and side
mount single lever throttle with neutral safety position.

OPTIONS



Code: OPT.12V.00

29,00 €

Name: 12V Output
12V electric output



Code: OPT.BP.00

99,00 €

Name: Bilge pump
Plug and play bilge pump



Code: OPT.SP.00

199,00 €

Name: Bluetooth audio speaker
Plug and play audio speaker with embedded bluetooth.



Code: OPT.CS.00

89,00 €

Name: Buzzer
Plug and play boat buzzer



Code: OPT.ETT.01
Name: Electric tilt/trim
Electric tilt and trim with position feedback

435,00 €



Code: OPT.SOL.00
Name: Monocrystalline solar panel
Flexible and foldable solar panel with monocrystalline cell - 95 Wp

430,00 €



Code: OPT.LT.00
Name: Navigation light
Navigation light , led technology, white, red and green

169,00 €



Code: OPT.SOL.01
Name: Polycrystalline solar panel
Flexible and foldable solar panel with polycrystalline cell - 80 Wp

330,00 €



Code: OPT.AS.00
Name: Shaft profile
Pod alluminium shaft profile

45,00 €



Code: OPT.USB.00
Name: USB plug
USB plug

39,00 €

48V - up to 500A



Code: B1250.48.100
Name: Lithium battery 1.250 Wh - 48V - Max discharge current 100A
Lithium battery . Capacity 1.250 Wh. Voltage 48V , nominal current 52Ah. Max discharge current 100 A. Sony VTC6 cell technology. Plug & Play case available. Dynamic Charging ready. Plug and play power connectors. IP 67. Size 260*165*220mm Weight 10 kg.

1.990,00 €



Code: B2500.48.300

3.990,00 €

Name: Lithium battery 2.500 Wh - 48V - Max discharge current 300A
Lithium battery . Capacity 2500 Wh. Voltage 48V , nominal current 104Ah. Max discharge current 300 A. Sony VTC6 cell technology. Plug & Play case available. Dynamic Charging ready. Plug and play power connectors. IP 67. Size 260*165*340mm Weight 19 kg.



Code: B3800.48.500

4.990,00 €

Name: Lithium battery 3.800Wh - 48V - Max discharge current 500A
Lithium battery . Capacity 3.800 Wh. Voltage 48V , nominal current 79Ah. Max discharge current 500 A. Sony VTC6 cell technology. Plug & Play case available. Dynamic Charging ready. Plug and play power connectors. IP 67. Size 260*165*460mm Weight 26 kg.



Code: B7600.48.500

6.990,00 €

Name: Lithium battery 7.600 Wh - 48V - Max discharge current 500A
Lithium battery . Capacity 7.600 Wh. Voltage 48V , nominal current 158Ah. Max discharge current 500 A. Sony VTC6 cell technology. Plug & Play case available. Dynamic Charging ready. Plug and play power connectors. IP 67. Size 310*185*720mm Weight 49 kg.

DRIVES



Code: D12.2496.240

490,00 €

Name: 12 kW electric motor drive
Drive for electric motor. 24-56VDC +-10% power supply. Max Power 12kW@48VDC. 1 Rele output. 4 Digital input. 1 analogic input. Temperature derating. Energy recovery tool. Resolver feedback. Can Bus 2.0 configurable. Pc software setting tool by Can Bus line. M8 Power cables fitting. AmpSeal 23 ways for I/O e communication. Available 96V 130 A version.



Code: D.260.100600.400

3.490,00 €

Name: 260 kW electric motor drive
Drive for electric motor. 100-600VDC +-10% power supply. Max Power 260kW@600VDC. 4 Rele output. 2 Digital input. 4 analogic input. 1 analogic output. 16 Digital input programmable. Temperature derating. Energy recovery tool. Resolver-Encoder-Hall-Sin/Cos feedback. Can Bus 2.0 configurable. Pc software setting tool by Can Bus line. M8 Power cables fitting. AmpSeal 35 ways for I/O and communication.



Code: D65.48144.800

1.590,00 €

Name: 65 kW electric motor drive
Drive for electric motor. 48-144VDC+-10% power supply. Max Power 65kW@96VDC. 2 digital output. 4 Digital input. 2 analogic input. Temperature derating. Energy recovery tool. Resolver-Encoder-Hall-Sin/Cos feedback. Can Bus 2.0 configurable. Pc software setting tool by Can Bus line. Radlok power cables fitting. AmpSeal 35 ways for I/O e communication. Weight 4.6kg.

